



VMIX
FATMIX

LOW PROFILE AND HIGH CAPACITY VERTICAL MIXERS



VALMETAL
USA

MAKE
LIFE BETTER



V-MIX
FATMIX

A HIGH CAPACITY MIXER WITH A LOW PROFILE

The most efficient and fastest TMR mixer on the market. The Fatmix can cut and mix a wide variety of products including large round hay bales, square, coated or dry. Its low profile designed with vertical walls and a larger floor than the V-Mix series offers to easily mix and chop several big bales of hay at the same time to prepare a quality TMR.

The Valmetal auger mixers, made of abrasion-resistant steel (one Valmetal exclusivity), provides a efficient blending capacity, thanks to their unique design.

DIFFERENT WHEELS CONFIGURATIONS

255/70 or 22.5L
8 tandem tires (for
1130 and 930 Fatmix
models)

4 standard tires (for
485 Fatmix model)



The Fatmix line was designed to feature a wide loading capacity with a low profile. That's why all 485, 930 and 1130 models are 111" width with one or two oversized auger(s).

930 and 1130 models are equipped with 2 augers, specially designed to feature a maximum efficiency in any case.





A detailed close-up photograph of the orange Fatmix 930's conveyor system. The image shows the internal rollers and the heavy-duty metal frame of the conveyor, which is designed for unloading material from the truck's body. The orange paint is bright and consistent across the entire machine.

OPTIONAL CONVEYORS FOR UNLOADING

- Lateral unload conveyor (standard lengths of 46" to 72")
- Front unload conveyor
 - Lateral movement of the front conveyor (side shift)
 - Fixed or adjustable inclined section (various lengths)


LARGE LOADING CAPACITY

Lower, with a larger capacity, the Fatmix can mix larger volumes (up to 2 big bales for the 485 model and 4 bales for the 1130 model)






**IDEAL FOR
LOADING WITH A
SKID STEER**



V-Mix Fatmix	Length	Width	Height	Capacity without extension	Capacity with a 12" rubber extension	Auger(s)	Weight (Lbs/Kg)
485	220" (559 cm)	111" (282 cm)	96" (244)	415 cu.ft. (11,7 m³)	485 cu.ft. (13,7 m³)	1	8650/3923
930	322" (843 cm)	124" (315 cm)	104" (262 cm)	800 cu.ft. (22,6 m³)	930 cu.ft. (26,3 m³)	2	19399/8799
1130	322" (843 cm)	124" (315 cm)	118" (297 cm)	1000 cu.ft. (28,3 m³)	1130 cu.ft. (32 m³)	2	20250/9250

Specifications, descriptions and illustrative material in this literature are as accurate as known at the time of publication, but are subject to change without prior notice. Illustrations may include optional equipment and accessories, and may not include all standard equipment.

YOUR LOCAL DEALER:



230, Boulevard industriel
Saint-Germain-de-Grantham
(Québec) J0C 1K0 Canada
Tel : 819 395-4282
Fax : 819 395-2030



15497 State Hwy 131
Tomah, WI 54660
United States
Tel : (608) 374-2206
Fax: (608) 374-2302

info@valmetal.com - valmetal.com